

IN THE CLAIMS

Please amend the claims as follows:

1. (original) A method of relating one or more trigger actions with a multimedia signal (101), the method comprising the steps of

- providing at least one trigger time point (T_n ; T_{n+1}) and for each trigger time point (T_n ; T_{n+1}) providing at least one representation of least one associated trigger action (105), where each trigger time point (T_n ; T_{n+1}) indicates a time point of the multimedia signal (101) for which the at least one associated trigger action is to be available during playback of the multimedia signal (101),
- for each given trigger time point (T_n ; T_{n+1}) deriving a fingerprint (102) on the basis of a segment of the multimedia signal (101), where the segment of the multimedia signal (101) is unambiguously related with the given trigger time point (T_n ; T_{n+1}), and
- associating the derived fingerprint (102) with the at least one associated trigger action.

2. (original) A method according to claim 1, characterized in that the method further comprises for each obtained trigger time point (T_n ; T_{n+1}), storing the derived fingerprint (102) and the at least one representation of the at least one associated trigger action (105) in a first database (203).

3. (currently amended) A method according to ~~claims 1,~~
2claim 1, characterized in that the one or more derived
fingerprints (102) and/or the at least one representation of
at least one associated trigger action (105) for the
multimedia signal (101) is transmitted to a playback-device
(300) via the Internet or in a side-channel of a broadcast
channel or via some other channel or means.

4. (currently amended) A method according to ~~claims 1 to~~
3claim 1, characterized in that the segment of the multimedia
signal (101) is unambiguously related with the given trigger
time point (T_n ; T_{n+1}) according to:

- the segment of the multimedia signal (101) ending
substantially at the given trigger time point (T_n ; T_{n+1}), the
segment of the multimedia signal (101) starting substantially
at the given trigger time point (T_n ; T_{n+1}), the segment of the
multimedia signal (101) starting or ending at a predetermined
distance before or after the given trigger time point (T_n ;
 T_{n+1}), or

- the given trigger time point (T_n ; T_{n+1}) being at a
predetermined time point between a start and an end of the
segment of the multimedia signal (101).

5. (original) A method of detecting one or more trigger
actions in a multimedia signal (101), the method comprising

the steps of:

- generating a fingerprint stream (104) on the basis of the multimedia signal (101),
- comparing a segment of the fingerprint stream (104) with one or more fingerprints (102) stored in a second database (203') in order to determine if a match exists or not between the segment and a fingerprint (102) in the second database (203'), the second database (203') further comprising for each stored fingerprint (102) at least one representation of at least one associated action (105), and
- if a match exists retrieving the at least one representation of the at least one associated action (105) associated with the matching fingerprint (102).

6. (original) A method according to claim 5, characterized in that said method further comprises the step of: executing the at least one associated action (105) associated with the matching fingerprint (102) at an appropriate trigger time point (T_n ; T_{n+1}).

7. (original) A method according to claim 6, characterized in that the appropriate trigger time point (T_n ; T_{n+1}) is given by an unambiguously relation with a segment of a multimedia signal (101) used during generation of the matching fingerprint (102).

8. (currently amended) A method according to ~~claims 1 to 4~~
~~or claims 5 to 7~~claim 1, characterized in that said multimedia
signal (101) is an audio signal, a video signal or a combined
audio/video signal.

9. (currently amended) A method according to ~~claims 1 to 4~~
~~or claims 5 to 8~~claim 1, characterized in that said at least
one associated trigger action (105) is selected from the group
of:

- retrieving and displaying additional information on a
display,
- retrieving and playing additional information via a
speaker,
- playing another multimedia signal instead of said
multimedia signal (101) for a predetermined or variable period
of time,
- stopping/pausing, e.g. temporarily, display/play,
- executing other control commands, and/or
- prepairing the system for user inputs.

10. (currently amended) A method according to ~~claims 1 to 4~~
~~or claims 5 to 9~~claim 1, characterized in that the derived
fingerprint (102) and/or the fingerprint (102) in the second
database (203') is an audio and/or video fingerprint (102).

11. (original) A multimedia device (200) for relating one or

more trigger actions with a multimedia signal (101), the device comprising

- means (202; 204) for providing at least one trigger time point (T_n ; T_{n+1}) and for each trigger time point (T_n ; T_{n+1}) providing at least one representation of least one associated trigger action (105), where each trigger time point (T_n ; T_{n+1}) indicates a time point of the multimedia signal (101) for which the at least one associated trigger action is to be available during playback of the multimedia signal (101),
- a fingerprint generator (202) adapted to for each given trigger time point (T_n ; T_{n+1}) deriving a fingerprint (102) on the basis of a segment of the multimedia signal (101), where the segment of the multimedia signal (101) is unambiguously related with the given trigger time point (T_n ; T_{n+1}), and
- means (204) for associating the derived fingerprint (102) with the at least one associated trigger action.

12. (original) A device according to claim 11, characterized in that the device further comprises a first database (203) having stored the derived fingerprint (102) and the at least one representation of the at least one associated trigger action (105) for each obtained trigger time point (T_n ; T_{n+1}).

13. (currently amended) A device according to ~~claims 11,~~
claim 11, characterized in that the device further comprises a transmitter (204) for transmitting the one or more derived

fingerprints (102) and/or the at least one representation of at least one associated trigger action (105) for the multimedia signal (101) to a playback-device (300) via the Internet or in a side-channel of a broadcast channel or via some other channel or means.

14. (currently amended) A device according to ~~claims 11 to 13~~claim 11, characterized in that the segment of the multimedia signal (101) is unambiguously related with the given trigger time point (T_n ; T_{n+1}) according to:

the segment of the multimedia signal (101) ending substantially at the given trigger time point (T_n ; T_{n+1}),

- the segment of the multimedia signal (101) starting substantially at the given trigger time point (T_n ; T_{n+1}),
- the segment of the multimedia signal (101) starting or ending at a predetermined distance before or after the given trigger time point (T_n ; T_{n+1}), or
- the given trigger time point (T_n ; T_{n+1}) being at a predetermined time point between a start and an end of the segment of the multimedia signal (101).

15. (original) A audio and/or video playback device (300) for detecting one or more trigger actions in a multimedia signal (101) comprising:

- means (302) for generating a fingerprint stream (104) on the basis of the multimedia signal (101),
- means (302) for comparing a segment of the fingerprint stream (104) with one or more fingerprints (102) stored in a second database (203') in order to determine if a match exists or not

between the segment and a fingerprint (102) in the second database (203'), the second database (203') further comprising for each stored fingerprint (102) at least one representation of at least one associated action (105), and

- means (302) for, if a match exists, retrieving the at least one representation of the at least one associated action (105) associated with the matching fingerprint (102).

16. (original) A device according to claim 15, characterized in that said device further comprises: means (303) for executing the at least one associated action (105) associated with the matching fingerprint (102) at an appropriate trigger time point (T_n ; T_{n+1}).

17. (original) A device according to claim 16, characterized in that the appropriate trigger time point (T_n ; T_{n+1}) is given by an unambiguously relation with a segment of a multimedia signal (101) used during generation of the matching fingerprint (102).

18. (currently amended) A device according to ~~claims 11 to 14 or claims 15 to 17~~claim 11, characterized in that said multimedia signal (101) is an audio signal, a video signal or a combined audio/video signal.

19. (currently amended) A device according to ~~claims 11 to 14 or claims 15 to 18~~claim 11, characterized in that said at least one associated trigger action (105) is selected from the group of:

- retrieving and displaying additional information on a display,
- retrieving and playing additional information via a speaker,
- playing another multimedia signal instead of said multimedia signal (101) for a predetermined or variable period of time,
- stopping/pausing, e.g. temporarily, display/play,
- executing other control commands, and/or
- prepairing the system for user inputs.

20. (currently amended) A device according to ~~claims 11 to 14 or claims 15 to 19~~claim 11, characterized in that the derived fingerprint (102) and/or the fingerprint (102) in the second database (203') is an audio and/or video fingerprint (102).

21. (currently amended) A computer readable medium having stored thereon instructions for causing one or more processing units to execute the method according to ~~any one of claims 1 to 4 or any one of claims 5 to 10~~claim 1.